FRANKLIN (E.C.)

STATISTICS.

LOF-

# HOMEOPATHIC AND ALLCEOPATHIC

HOSPITALS.



BY E. C. FRANKLIN, M. D.,

Professor of Surgery in the Homaopathic Medical College of Missouri.

Price \$1 50 per Hundred-for sale at the

St. Louis Yomcopathic Pharmacy:

51 N. FIFTH STREET, BET. LOCUST AND OLIVE.

HOW POOK AND JOB PRINTER.

# SAINT LOUIS. HOMEOPATHIC: PHARMACY.

[Established 1853.7

### 51 North Fifth, between Olive and Locust,

Opposite Mercantile Library

## H. C. G. LUYTIES,

Apothecary to the Good Samaritan Hospital. Agent for Dr. S. B. Smith's Electro-Magnetic Machines; Keith's Organic Medicines; Davis & Kider's Electro-Magnetic Machines, Craig's Microscope.

The undersigned begs to thank his numerous friends for their kind support hitherto, and assures them that it shall be his constant endeavor to discharge faithfully the duties of his position.

### PROFESSIONAL REQUISITES.

Alcohol, pure, \$6,50 per gallon, Arnica Flowers, Arnica Tincture, Books at publishers' prices, Rottles, all sizes, Breast Pumps at 75c, \$1,75, and \$2,00. Cases of Medicine for Physicians and do-

mestic use, Corks-10 different sizes. No. 3 for 1 drachm No. 5 for 2 drachm No. 7 for 14 oz. & 1 oz.

Cork Presses, \$1,00 each, Diet Cards and Papers, Dissecting Cases, Electro-magnetic machines—Smita's, \$16, \$17, \$20 and \$30; Davis & Kider's, \$10; Envelopes in boxes of 500, \$1.50, External Tinctures, \$1,50 per lb. Graduate Drop Measures, 40c each, Glyce ine, pure, for internal use, Globules, pure, 7 sizes, 75c per la Jars for Sugar of Milk—% la 60c. Inhalers, A Labels, 90c per doz. Lancets—Abscess, Vaccination

Lint, in 25c packages, Lotions—Aconite, Bryonia, Glycerine and Calendula, Rhus tox. Gelseminum, &c. Mamillarium (Dr. Pichter) for Sore Nipples, \$2,50,

Morters and Pestles, glass and wedgewood, Physician's Pocket Cases—a great variety, flat and wrapper, Pill Boxes-some new styles, very con-

Pend's Extract of Hammamelis. Pessaries-glass, india rubber, Pepsine, Probangs,

Plasters, adhesive-Arnica, Calendula, Taylor's. Sugar of Milk, \$1 25 per lb. Scales and Weights-pocket,

marble top, with drawer, Stomach pump, most complete, \$18, Syringes—glass, metal, india ruber, Spoons for Medicine Cases, Speculums, \$1, Sponges, Stethoscopes, \$6c, \$1,50, \$2, Statuettes, of Hahnemann, \$3,50, Surgical Instruments, at manufacturer's

Prices, Suspensory Bandages, Sugar Coated Pills, Tinctures—Domestic and German in a state

of great purity.

Dilurios from 1st to 70th. Hier Dilu-loss from a most reliable Pharmacy in figermany. 2 Jennichens and Lehr-mann's imported to order

Triturations, first decimal 60c per oz., ex-cept where the crude article is very exvensive, when an extra price will be added Vials, 1 drachm, \$2; 2 drachms, \$2,50; others in proportion. 52 different sizes.

The articles kept at this Pharmacy are of the best quality, they can therefore be used with the greatest confidence.

In ordering medicines, it is particularly requested that the attenuations be distinctly stated, and also the form in which it is required-whether Tinctures, Triturations, Globules, or Dilutions. In those cases in which from circumstances it preparations to that orde

#### HOSPITAL STATISTICS.

The following statistics of the St. Louis City Hospital (Allcopathic), as embodied in the report presented to the Hon. Board of Health by Dr. Paddock, Resident Physician of the City Hospital, for the half year ending September 30th, 1864, presents in a tabular form the operations of that institution for the period referred to.

ST. LOUIS CITY HOSPITAL, October 1, 1864.

To the Honorable Board of Health:

GENTLEMEN: In accordance with the requirements of your Honorable Body, I herewith respectfully submit for your consideration the following report, being my semi-annual report of the transactions of the Medical Department of the hospital for the half year ending the 30th September, 1864.

The following tables show the whole number of patients treated, their diseases, the number discharged, died, and the number still remaining in the wards.

|  |       |            | 1 .  | , . !      |                           | 700   |            | . :   | . :        |
|--|-------|------------|------|------------|---------------------------|-------|------------|-------|------------|
|  | CASES | 30         | :    | 75         | AND PROPERTY OF THE       | CASES | ED.        |       | 0          |
| property to the state of the st | 3.48  | DISCHARGED | 3    | REMAINING. | Antimore Survey Land Co.  | CA    | DISCHARGED | :     | REWAINING. |
| DIAGNOSIS.   | OF (  | IAI        | 1    | IN         | DIAGNOSIS.                | NO.   | TY2        | *     | ATI        |
| Smell mentaged with  |       | CE         | 63   | MA         |                           |       | CE         | DIED, | SM         |
| STREET THE PARTY OF STREET   | NO.   | DIS        | DIED | RE         |                           | NO.   | DIS        | DI    | M          |
| Abassa   | -     | -          | 1    |            | Moribund                  |       |            |       |            |
| Abscess  | 6     | 5          | 2    | 1          | Mania a Potu              | 5 2   |            | 5     |            |
| Anasarca   | 5     | 4          | 7    | 1          | Marasmus                  |       | 2          |       |            |
| Asthma   | 3     |            | 1    | 2          | Melancholy                | 2     | **         | 2     |            |
| Ascites  | 1     | î          | -    | -          | Menorrhagia               | 2     | 1          | **    |            |
| Abortion   | 7     | 5          | 1    | 1          | Necrosis                  | 8     | 6          | 1     | 1          |
| Bronchitis   | 19    | 19         |      | 1          | Nephritis                 | 1     | - 1        |       | 1          |
| Cancer   | 7     | 2          | 4    | 1          | Neuralgia                 | 2     | 3          | 14    | - **       |
| Contusio   | 40    | 31         | n n  | 8          | Œdema                     | 1     | 1          | **    | **         |
| Conjunctivitis   | 2     | 2          | 1    | -          | Opacity of Cornea         | 1     | 1          |       | **         |
| Concussion of Brain  | 2     |            | 2    |            | Ophthalmia                | 3.    | 25         | -     | 7          |
| Concussion of Spinal Cord  | Î     |            | 1    |            | Orchius                   | 0.    | 3          | - 1.  | 211        |
| Curvature of Spine   | 1     |            | 1    |            | Pueumonia                 | 25    | 10         | 12    | 1          |
| Cancrum Oris   | î     |            |      | 1          | Pregnancy and Parturition | 74    | 48         |       | 26         |
| Delirium Tremens   | 26    | 22         | 4    |            | Phtteisis Pulmonalis      | 25    | 8          | 12    | 5          |
| Debility   | 81    | 66         | 4    | 1.1        | Pleurisy                  | 1     | 4          |       |            |
| Dysentery  | 30    | 7          | 21   | 2          | Prelapsus Uteri           | 2     | 9          |       |            |
| Diarrhea   | 106   | 71         | 23   | 12         | Paralysis                 | 8     | 5          | 2     | 1          |
| Dementia   | 1     | - 1        |      |            | Periostitis               | 2     | 9          |       |            |
| Dislocation of Hip-Jolnt   | 1     |            | **   | 71         | Phiegmon                  | 5     | 5          |       |            |
| Erysipelas   | 14    | 14         |      |            | Premature Labor           | 7     | 1          |       |            |
| Eczema   | 3     | 1          |      |            | Paraphlegia               | 1     |            |       | 1          |
| Frost-Bite   | 2     | 2          |      | **         | Rheumatism                | 47    | 37         |       | 10         |
| Fistula in Ano   | 1     | 1          | **   | **         | Rubeola                   | 5     | 5          |       |            |
| Fever, Intermittent  | 53    | 44         | **   | 9          | Syphilis                  | 170   | 150        | 1     | 19         |
| Fever, Remittent   | 10    | 9          |      | 1          | Scabies                   | 5     | 5          |       |            |
| Fever, Puerperal   | 1     | 33         | 1    | 1 **       | Sprain                    | 3     | 3          |       | +9         |
| Fever, Typhoid   | 10    | 2          | 7    | 1          | Sunstroke                 | 5     | 1          | 4     |            |
| Fractures  | 9     | 7          | **   | 2          | Scrofula                  | 2:    | 2          |       |            |
| Furunculus   | 1     | 1          | **   | **         | Sore Throat               | 11    | 1          | **    |            |
| Gonorrhea  | 13    | 12         |      | 1          | Tumor                     | 2     | 2          | 100   | **         |
| Gleet  | 1     | 1          | **   |            | Toxemia                   | 2     | 1          | 1     |            |
| Hemorrhoids  | 4     | 4          | 12   | **         | Tonsilitis                | 1     | 1          | -     |            |
| Hemorrhage, Pulmonary  | 1     | **         | 1    | **         | Tetanus                   | 1     |            | **    | 1          |
| Hernia, Strangulated   | 2     | 1          |      | 3          | Ulcer                     | -8    | 21         | 1     | 6          |
| Hæmoptysis   | 1     | 1          | **   | **         | Variola                   | 7     | 7          | **    | **         |
| Hysteria   | 1     | 1          | **   | **         | Vulnera                   | 9     | 7          | 2     | 4.6        |
| Ictorus  | 4     | 3          | **   | 3          | Varicose Veins            | 1     | 1          | **    | 1 4 8      |
| Insanity   | 14    | 11         | **   | 0          | Chorea                    | 1     |            | 1     |            |
| Inanition  | 1 2   |            | 1    | **         | m                         |       | _          |       |            |
| Inflammation   | 2     | 2          | **   | **         | TOTAL                     | 990   | 731        | 120   | 139        |
| Leuchrrhea   | 41    | 41         | **   | **         |                           | -     | -          | -     | -          |

The number of deaths has been 120 during the past half year, and one hundred

and thirty-nine (139) are remaining in the wards under treatment.

The medical expenses for the half year ending last night have been \$1.249 63, including \$414 08, being the amount for medicines furnished the Health Office, Smallpox and Quarantine Hospitals, which, being deducted from the total amount, leaves \$835 55 as the actual cost for the medical department of this hospital.

It may be noticed that the medical expenses of the hospital for the past six months have been much less than they were for the corresponding months in preceding years, notwithstanding that the prices paid for all the principal medicines have been from two to four hundred per cent. above that formerly

charged

The average length of time in the hospital for each patient has been (excluding the insane) about nineteen (19) days.

I remain, gentlemen, very respectfully, your obedient servant,

R. H. PADDOCK, Resident Physician.

Per contra to this Report, I will present the statistics of the Homeopathic Hospital under my charge, attached to the Cavalry Depot of this city. This Hospital was established by Capt. Ingham Coryell, C. Q. M. of the Western Division Cavalry Bureau, March 1st of the present year, for the purpose of affording medical and surgical treatment to the sick employees in the Depot. To Mr. Yeatman, President of the Western Sanitary Commission, is this Department indebted for the necessary supply of Hospital furniture required for the use and comfort of the patients while inmates of the institution. The building selected for Hospital purposes is situated at the western border of the Cavalry Depot, and composes a part of the Government buildings previously attached to the Benton Barracks, which, in the early period of the rebellion, was occupied by troops stationed at this Post The structure is built of rough boards, one story high, ventilated at the top with a verandah on either side, for protection from the boisterous storms of winter, as well as the excessive heat of summer. It is capable of furnishing accommodation for 30 patients, and can be increased to 50 if necessity requires. One ward is used exclusively for surgical cases, and quite a number of fractures have been already successfully treated, besides a number of surgical operations have been performed resulting from accident or otherwise.

During the existence of the Hospital, the number of laborers, employees, &c., attached to the Depot have averaged about 1,200, and, as the Report shows, 833 sick and injured have been treated in the Institution for the half year ending August 31st, 1864. The following is a copy of the Report as made to the C. Q. M. of the Department.

Report of Sick and Injured treated in Cavalry Bureau the Half Year ending August 31st, 1864, by E. C. Franklin, Surgeon in charge.

| DISEASES.   | NO. ADMITTED   | DISCHARGED CURED.  | DIED | REMAINING                             | REMARKS.   |
|---|--|--|------|---------------------------------------|--|
| Arthritis Abscess Amputation Bronchitis Catarrh Contusion Cholera Morbus Diarrhœa Dysenteria Diphtheritis Erysipelas Enteralgia | 1<br>8<br>1<br>31<br>35<br>98<br>4<br>95<br>32<br>3<br>4 | 1<br>8<br>31<br>35<br>97<br>4<br>92<br>27<br>3<br>4<br>1 | ·· i | 1 3 5                                 | Died from gangrene of the stump, 8 days after the operation.   |
| Fever, Intermittent Fever, Remittent. Fever, Typhoid Fracture Gastritis Gastralgia Gonorrhæa Hepatitis                          | 1<br>44<br>98<br>39<br>4<br>11<br>1<br>3<br>6            | 1<br>44<br>97<br>35<br>3<br>11<br>1<br>3<br>6            |      |                                       | Complicated with meningitis, and terminating in typhoid.   |
| Herpes Hemorrhoids Icterus Impetigo Laryngitis Mania-a-Potu Nephritis Neuralgia Ophthalmia                                      | 1  | 3<br>2<br>3<br>2<br>5<br>2<br>1<br>2<br>17               |      | · · · · · · · · · · · · · · · · · · · | rick attendance the city of the city of the country of the country of the country of the city of the c |
| Orchitis Otitis Parotitis Pericarditis Periostitis Pneumonia  | 6<br>3<br>4<br>2<br>3<br>13<br>6                         | 6<br>3<br>4<br>2<br>3<br>13<br>6                         |      |                                       | the said said ser out to the said the said said the said shift of the said shift of the said shift of the said said of the said said said said said said said said   |

Report-Continued.

| DISEASES.  | NUMBER<br>ADMITTED.   | DISCHARG'D CURED.  | DIED | REMAINING.                            | REMARKS.   |
|--|---|--|------|---------------------------------------|--|
| Rubeola Rheumatism Syphilis Sycosis Scabies Stomatitis Stricture Scorbutus Spinal Meningitis Tonsilitis Tumor Ulcer Varicose Ulcer Varix Variola Vulnus Incisio Sunstroke Tinca Capitis Varioloid All other diseases | 3<br>19<br>10<br>1<br>9<br>7<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>2<br>17<br>3<br>1<br>8<br>5<br>2<br>1<br>1<br>2<br>1<br>2<br>1<br>1<br>2<br>1<br>1<br>2<br>1<br>1<br>2<br>1<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>2<br>1<br>2<br>2<br>1<br>2<br>2<br>2<br>2<br>3<br>2<br>3 | 3<br>19<br>10<br>1<br>9<br>7<br>1<br>1<br>1<br>2<br>16<br>3<br>1<br>8<br>  51<br>1<br>1<br>2<br>8<br>9 | i    | i i i i i i i i i i i i i i i i i i i | Artheila. Artheila. Absora Absora Absora Absora Absora Absora Absora Absora Bonocidis  Conterno Conter |
| TOTAL  |   | 813  | 5    | 15                                    | lava   |

Average length of time in Hospital, 12 days.

By reference to the figures, it appears that in the Allœopathic Hospital, with all the appliances of comfort, professional skill and attendance, the city affords, the number of patients treated was 990, with a mortality of 120 and 139 remaining in Hospital. This gives the number of Deaths to those admitted in Hospital as over 12 per cent., exclusive of those remaining. The record of the Homœopathic Hospital gives 833 cases admitted, with five deaths and only 15 remaining in Hospital, making a mortality of 6-10 of one per cent.—a clear gain over its rival institution of 11 and 4-10 per cent. So much for the general results; and for fear of any carping about the matter, let us examine the comparative statistics of the four specific diseases treated in both institutions, and their relative results.

In the Allœopathic Hospital there were treated 30 cases of Dysentery, with 21 deaths, making a mortality of 70 per cent.

In the Homocopathic Hospital there were treated 32 cases of Dysentery, with no deaths.

Of Typhoid Fever there were 10 cases treated in the Allcopathic Hospital, with 7 deaths, making a mortality of 70 per cent.; while in the Homcopathic Hospital there were 39 cases treated, with only two deaths, making a mortality of only 5 and 1-10 per cent.

Of Diarrhæa there were treated, in the Alleopathic Hospital, 106 cases, with 23 deaths, or a mortality of over 22 per cent.; while in the Homæopathic Hospital there were treated 95 cases of Diarrhæa, and no deaths.

Of Pneumonia there were treated, in the Allocopathic Hospital, 23 cases, with 12 deaths, or a mortality of over 52 per cent. In the Homeopathic Hospital there were treated of Pneumonia 13 cases, and no deaths.

Of the four diseases named, the admissions were more than one-sixth of the whole number received into the City Hospital; and as the mortality of these four diseases exceeds in number that of any other four diseases, and over one-half of the whole mortality, it is manifest that the diseases named were the leading and most serious maladies treated in that institution. Taking these four diseases conjointly, it appears, therefore, that 169 cases were admitted into the Allœopathic Hospital, of which number 63 died—making a mortality of 37 and 2-10 per cent.; while the whole number of such diseases admitted into the Homœopathic Hospital were 179 cases, and only 2 deaths—giving a mortality of 1 and 1-10 per cent. Or, to place the results of the treatment side by side, we have:

| ALLŒOP.   | номсоратніс.          |                     |                      |  |                      |                  |                      |
|---|-----------------------|---------------------|----------------------|--|----------------------|------------------|----------------------|
| DISEASES.   | NO. OF                | DIED                | PER<br>CENTAGE.      | DISEASES.                                  | NO. OF<br>CASES.     | DIEG             | CENTAGE.             |
| <ol> <li>Dysentery</li> <li>Typhoid Fever</li> <li>Diarrhœa</li> <li>Pneumonia</li> </ol> | 30<br>10<br>106<br>23 | 21<br>7<br>23<br>12 | 70<br>70<br>22<br>52 | Dysentery Typhoid Fever Diarrhæa Pneumonia | 32<br>39<br>95<br>13 | 0<br>2<br>0<br>0 | 0<br>5 1 0<br>0<br>0 |

Average mortality, 37 10 per cent. || Average mortality, 110 per cent

It is therefore clearly demonstrated that the Homœopathic system of medicine is infinitely superior, as compared with the Allœopathic practice in the Hospitals referred to, and that the record of mortality is largely in favor of the Homœopathic system in the general results of Hospital practice, while in the four principal diseases, and those most fatal in their tendencies, the comparison is even more overwhelmingly in favor of the Homæ-

opathic system of medicine.

With such a statement of facts, deduced by the statistics of these two medical institutions, as presented by their respective medical officers, will any one deny the superior advantages Homeopathy posseses over its rival system of medicine, that boasts "the learning and investigation of all time"? With a record so largely in favor of Homeopathy, can any one be found so deaf to the humanitarian interests of the poor, who seek refuge in our medical asylums for protection from the ravages of disease, as to shut them out from the ark of safety that Homeopathy extends in the hour of sickness and suffering?

Let our City Fathers look well to this matter, and avoid the terrible responsibility that awaits them in the criminal neglect of a duty so plain to themselves and so vitally important to the

poor who are received into our public Hospitals.